

469245-continued

Received April 1982.

T 2012. '101'. United States. Collected February 27, 1943. Lexington County, South Carolina. Collected by V. Davidson in 7000 plant field. Plants tall. Seed ripening uniform. Seed yield high. Adapted to southern half of bicolor range. Used for quail food, deer browse and erosion control. Perennial Woody. Cultivar. Seed.

469246. *Sorghum bicolor* (L.) Moench (Poaceae) Sweet sorghum.

From United States. Americus Plant Materials Center, Soil Conservation Service, USDA, Americus, Georgia.  
Received April 1982.

AM 23. 'Tombigbee'. United States. Collected 1939. Epes, Alabama. Selected from wild type. Plants medium-sized. Seed shatters soon after maturity, remains sound over winter, germinates following spring and summer. Used in wildlife plantings. Perennial Herb. Cultivar. Seed.

469247. *Sorghum sudanense* (Piper) Stapf (Poaceae) Sudangrass.

From United States. Americus Plant Materials Center, Soil Conservation Service, USDA, Americus, Georgia.  
Received April 1982.

AM 22. 'Wild'. United States. Collected 1945. Clewiston, Florida. Seed shatters soon after maturity, remains sound for some time, volunteers freely. Naturalized in Everglades. Drought tolerant. Annual. Cultivar. Seed.

469248 TO 469249. *Vigna unguiculata* (L.) Walp. subsp. *unguiculata* (Fabaceae) Southern pea.

From United States. Americus Plant Materials Center, Soil Conservation Service, USDA, Americus, GA 31709.  
Received April 1982.

469248. T 3511. 'Thorsby'. United States. Collected 1951. Chilton County, Alabama. Collected by D. Hungerford, Jr. Plants volunteer readily. Used for conservation : wild life, forage, cover crop. Adapted to well drained soils of the southeast . Optimum latitude 32 deg. north. Perennial Herb. Cultivar. Seed.

469249. T 3512. 'Tory'. United States. Collected 1946. Columbus, Mississippi. Collected by J. A. Johnson. Plants volunteer readily. Used for conservation: wildlife, forage, cover crop. Adapted to well drained soils of the southern